



## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 1 of 7

**MASTER COMFORT INDUSTRIA E COMERCIO DE ESPUMAS E COLCHOES LTDA**  
**EST SAO PEDRO,**  
**765**  
**MANDAGUARI, PR 86975000**  
**BRAZIL**

The following sample(s) was/were submitted and identified on behalf of the buyer as: D33, D45, D50, D60  
(LILÁS / GRAFITE)

|  |                                      |
|--|--------------------------------------|
| SGS Order No. :  | 400000014112                         |
| Total of Sample :  | 04 SAMPLES                           |
| Sample Number :  | BR2400653.001                        |
| Component No. :  | 1                                    |
| Sample Description :   | D33, D45, D50, D60 (LILÁS / GRAFITE) |
| Material Name :  | PU FOAM                              |
| Colour :   | LILAC / GRAPHITE                     |
| Remark :   | N/A                                  |
| Project :  | VEJA                                 |
| Test Product :   | PU FOAM                              |
| Mix :  | YES                                  |
| Colors :   | LILÁS / GRAFITE                      |
| Sample composed of fibers of plant origin :                              | NO                                   |
| Sample contains PVC or recycled material in the composition :            | NO                                   |
| water repellent material :   | NO                                   |
| Sample covered with paints or varnishes :                                | NO                                   |
| Sample based on PU :   | YES                                  |
| Colorful material :  | YES                                  |
| Original fibers animal (wool) :  | NO                                   |
| Laminated material with synthetic fiber base :                           | NO                                   |
| PRODUCTION - Official report for Brand test (Product/Packaging/Retest) : | YES                                  |

**The informations above was provided by or on behalf of the customer.**

|                            |  |
|----------------------------|--|
| Proposal Number :          | C&P PR24-1621950 REV00                               |
| Sample Receiving Date :    | 05 Mar 2024  |
| Test Performing Period :   | 05 Mar 2024 - 04 Apr 2024                            |
| Test Requested :           | Selected test(s) as requested by client.             |
| Test Part Description :    | Please refer to next page(s).                        |
| Test Method :              | Please refer to next page(s).                        |
| Test Results :             | Please refer to next page(s).                        |
| Technical Responsibility : | Alessandra Shimizu - Laboratory Manager CRQ 04245592 |

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.  
Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 2 of 7

### Component Lis/List of Materials :

| Sample No.    | Component No. | Description                             | Material | Colour              | Remark |
|---------------|---------------|---|----------|---------------------|--------|
| BR2400653.001 | 1             | D33, D45, D50, D60<br>(LILÁS / GRAFITE) | PU FOAM  | LILAC /<br>GRAPHITE | N/A    |

### Summary of Test Result:

| Test Parameter  | Test Method   | Conclusion |
|---|---|------------|
| Total Heavy Metals  | DIN EN 16711-1:2016, Analysis was conducted by ICP-MS   | PASS       |
| Non-Metal Products  | With reference to CPSC-CH-E1002-08.3; analysis was performed by ICP-OES.                              | PASS       |
| Nonylphenol (NP) and Octylphenol (OP)                               | Sample preparation by solvent extraction (EN ISO 21084: 2019), analysis performed by GC-MS.           | PASS       |
| Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs) | Sample preparation by solvent extraction (EN ISO 18254/16), analysis performed by LC-MS.              | PASS       |
| Organotin Compounds   | With reference to ISO 16179:2012, analysis was performed by GC-MS                                     | PASS       |
| Phthalates  | With reference to ISO 14389:2014; Analysis was performed by GC-MS/CPSC Method CPSC-CH-C1001.09.4:2018 | PASS       |
| Polycyclic aromatic hydrocarbons (PAH)                              | With reference to AfPS GS 2019:01 PAK. Analysis was performed by GC-MS.                               | PASS       |
| Residual Solvent (ISO 16189/13)                                     | ISO 16189/13, extration with organic solvent, analysis was performed by GC-MS.                        | PASS       |

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.


## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 3 of 7

Sample Photo :



SGS authenticate the photo on original report only

Signed for and on behalf of  
SGS do Brasil Ltda.

Alessandra Shimizu  
Laboratory Manager CRQ 04245592

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 4 of 7

Test Results :

### Nonylphenol (NP) and Octylphenol (OP)

Test Method : Sample preparation by solvent extraction (EN ISO 21084: 2019), analysis performed by GC-MS.

| <u>Test Item(s)</u>   | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|-----------------------|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| Nonylphenol (NP)      | 25154-52-3     | -                                   | 10.00     | mg/kg       | ND                          |
| Octylphenol (OP)      | 27193-28-8     | -                                   | 10.00     | mg/kg       | ND                          |
| Sum of NP and OP (AP) |                | Max. 10.00                          | 10.00     | mg/kg       | ND                          |
| <b>Conclusion</b>     |                |                                     |           |             | <b>PASS</b>                 |

### Nonylphenol Ethoxylates (NPEOs) and Octylphenol Ethoxylates (OPEOs)

Test Method : Sample preparation by solvent extraction (EN ISO 18254/16), analysis performed by LC-MS.

| <u>Test Item(s)</u>            | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|--------------------------------|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| Nonylphenol ethoxylates (NPEO) | 9016-45-9      | -                                   | 20.00     | mg/kg       | ND                          |
| Octylphenol ethoxylates (OPEO) | 9002-93-1      | -                                   | 20.00     | mg/kg       | ND                          |
| Sum of (NP,OP, NPEO and OPEO ) |                | Max. 100.00                         | 20.00     | mg/kg       | ND                          |
| <b>Conclusion</b>              |                |                                     |           |             | <b>PASS</b>                 |

### Total Heavy Metals

Test Method : DIN EN 16711-1:2016, Analysis was conducted by ICP-MS

| <u>Test Item(s)</u> | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|---------------------|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| Arsenic (As)        | 7440-38-2      | Max. 100.00                         | 10.00     | mg/kg       | ND                          |
| Cadmium (Cd)        | 7440-43-9      | Max. 40.00                          | 5.00      | mg/kg       | ND                          |
| Mercury (Hg)        | 7439-97-6      | Max. 0.50                           | 0.10      | mg/kg       | 0.14                        |
| <b>Conclusion</b>   |                |                                     |           |             | <b>PASS</b>                 |

### Non-Metal Products

Test Method : With reference to CPSC-CH-E1002-08.3; analysis was performed by ICP-OES.

| <u>Test Item(s)</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|---------------------|-------------------------------------|-----------|-------------|-----------------------------|
| Lead (Pb)           | Max. 40.00                          | 10.00     | mg/kg       | ND                          |
| <b>Conclusion</b>   |                                     |           |             | <b>PASS</b>                 |

### Organotin Compounds

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 5 of 7

Test Method : With reference to ISO 16179:2012, analysis was performed by GC-MS

| <u>Test Item(s)</u>       | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|---------------------------|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| Dibutyl tin (DBT)         | 1002-53-5      | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Diocetyl tin (DOT)        | 15231-44-4     | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Monobutyl tin (MBT)       | 78763-54-9     | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Tricyclohexyl tin (TCyHT) | 892-20-6       | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Trimethyltin (TMT)        |                | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Triocetyl tin (TOT)       | 869-59-0       | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Tripropyltin (TPT)        |                | Max. 1.00                           | 0.10      | mg/kg       | ND                          |
| Tributyl tin (TBT)        | 688-73-3       | Max. 0.10                           | 0.10      | mg/kg       | ND                          |
| Triphenyl tin (TPHT)      | 892-20-6       | Max. 0.50                           | 0.10      | mg/kg       | ND                          |

### Conclusion

**PASS**

### Phthalates

Test Method : With reference to ISO 14389:2014; Analysis was performed by GC-MS/CPSC Method  
CPSC-CH-C1001.09.4:2018

| <u>Test Item(s)</u>   | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|---|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| Diisononyl Phthalate (DINP)   | 28553-12-0     | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Di-n-octyl Phthalate (DNOP)   | 117-84-0       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Bis-(2-ethylhexyl) Phthalate (DEHP)   | 117-81-7       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Diisodecyl Phthalate (DIDP)   | 26761-40-0     | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Benzylbutyl Phthalate (BBP)   | 85-68-7        | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Dibutyl Phthalate (DBP)   | 84-74-2        | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Diisobutyl Phthalate (DIBP)   | 84-69-5        | Max. 500.00                         | 30.00     | mg/kg       | ND                          |
| Di-n-hexyl Phthalate (DnHP)   | 84-75-3        | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Diethyl Phthalate (DEP)   | 84-66-2        | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Dimethyl Phthalate (DMP)  | 131-11-3       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Di-n-pentyl Phthalate (DPENP)   | 131-18-0       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Dicyclohexyl Phthalate (DCHP)   | 84-61-7        | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP)     | 71888-89-6     | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Bis(2-methoxyethyl) Phthalate (DMEP)  | 117-82-8       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Diisopentyl Phthalate (DIPP)  | 605-50-5       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Dipropyl phthalate (DPRP)   | 131-16-8       | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| Diisooctyl phthalate (DIOP)   | 27554-26-3     | Max. 500.00                         | 50.00     | mg/kg       | ND                          |
| 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) | 68515-42-4     | Max. 500.00                         | 50.00     | mg/kg       | ND                          |

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 6 of 7

| <u>Test Item(s)</u>  | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|--|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| 1,2-Benzenedicarboxylic acid, dipentyl ester, branched and linear      | 84777-06-0     | Max. 500.000                        | 50.000    | mg/kg       | ND                          |
| 1,2-Benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters | 68648-93-1     | Max. 500.000                        | 30.000    | mg/kg       | ND                          |
| 1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters                    | 68515-51-5     | Max. 500.000                        | 30.000    | mg/kg       | ND                          |
| N-pentyl-isopentyl Phthalate (NPIPP)                                   | 776297-69-9    | Max. 500.00                         | 30.00     | mg/kg       | ND                          |
| Di-hexylphthalate, branched and linear (DHxP)                          | 68515-50-4     | Max. 500.000                        | 30.000    | mg/kg       | ND                          |
| Di-iso-hexylphthalate (DIHxP)  | 71850-09-4     | Max. 500.00                         | 30.00     | mg/kg       | ND                          |
| Sum  |                | Max. 1000.00                        | -         | mg/kg       | ND                          |
| <b>Conclusion</b>  |                |                                     |           |             | <b>PASS</b>                 |

### Polycyclic aromatic hydrocarbons (PAH)

Test Method : With reference to AfPS GS 2019:01 PAK. Analysis was performed by GC-MS.

| <u>Test Item(s)</u>           | <u>CAS-NO.</u> | <u>Client</u><br><u>Requeriment</u> | <u>RL</u> | <u>Unit</u> | <u>Result</u><br><u>001</u> |
|-------------------------------|----------------|-------------------------------------|-----------|-------------|-----------------------------|
| Acenaphthene (ANA)            | 83-32-9        | -                                   | 0.20      | mg/kg       | ND                          |
| Acenaphthylene (ANY)          | 208-96-8       | -                                   | 0.20      | mg/kg       | ND                          |
| Anthracene (ANT)              | 120-12-7       | -                                   | 0.20      | mg/kg       | ND                          |
| Benzo(g,h,i)perylene (BPE)    | 191-24-2       | -                                   | 0.20      | mg/kg       | ND                          |
| Fluorene (FLU)                | 86-73-7        | -                                   | 0.20      | mg/kg       | ND                          |
| Fluoranthene (FLT)            | 206-44-0       | -                                   | 0.20      | mg/kg       | ND                          |
| Indeno(1,2,3-c,d)pyrene (IPY) | 193-39-5       | -                                   | 0.20      | mg/kg       | ND                          |
| Naphthalene (NAP)             | 91-20-3        | -                                   | 0.20      | mg/kg       | ND                          |
| Phenanthrene(PHE)             | 85-01-8        | -                                   | 0.20      | mg/kg       | ND                          |
| Pyrene (PYR)                  | 129-00-0       | -                                   | 0.20      | mg/kg       | ND                          |
| Benzo(a)anthracene (BaA)      | 56-55-3        | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Benzo(a)pyrene (BaP)          | 50-32-8        | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Benzo(b)fluoranthene (BbF)    | 205-99-2       | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Benzo(e)pyrene (BeP)          | 192-97-2       | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Benzo(j)fluoranthene (BjF)    | 205-82-3       | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Benzo(k)fluoranthene (BkF)    | 207-08-9       | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Chrysene (CHR)                | 218-01-9       | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Dibenzo(a,h)anthracene (DBA)  | 53-70-3        | Max. 0.50                           | 0.20      | mg/kg       | ND                          |
| Sum of 18 PAHs                |                | Max. 10.00                          | 0.20      | mg/kg       | ND                          |
| <b>Conclusion</b>             |                |                                     |           |             | <b>PASS</b>                 |

### Residual Solvent (ISO 16189/13)

This document is issued by the Company under its General Conditions of Service available on request and accessible at <http://www.sgsgroup.com.br/pt-br/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained as a confirmed on proposal. This document cannot be reproduced except in full, without prior written approval of the Company.

## Test Report

No. BR2400653 Rev. 0

Date: Barueri, 04 Apr 2024

Page 7 of 7

Test Method : ISO 16189/13, extration with organic solvent, analysis was performed by GC-MS.

| Test Item(s)                 | CAS-NO.  | Client       | RL    | Unit  | Result |
|------------------------------|----------|--------------|-------|-------|--------|
|                              |          | Requeriment  |       |       |        |
| Dimethylacetamida (DMAC)     | 127-19-5 | Max. 1000.00 | 50.00 | mg/kg | ND     |
| Dimethylformamide (DMFA)     | 68-12-2  | Max. 500.00  | 50.00 | mg/kg | ND     |
| Formamide                    | 75-12-7  | Max. 1000.00 | 50.00 | mg/kg | ND     |
| N-methyl-2-pyrrolidone (NMP) | 872-50-4 | Max. 1000.00 | 50.00 | mg/kg | ND     |
| Conclusion                   |          |              |       |       | PASS   |

### Remarks :

- (1) RL = Reporting Limit
- (2) ND = Not Detected ( < RL )
- (3) "-" = Not Analyzed / Not Applicable
- (4) "--" = Analysis in Process
- (5) 1 mg/kg = 0.0001%
- (6) mg/kg = ppm

### Comments :

The reported results refer only to the samples submitted to the tests. SGS is not responsible for information regarding the composition of the sample and its manufacturing data. These are the sole responsibility of the customer and are not part of the service scope of SGS do Brasil LTDA.

This document may not be reproduced, except in whole, without the prior written approval of SGS.

The Decision Rule defined by SGS states that the uncertainty of measurement will not be considered in the Verdict (declaration of conformity) when indicated in the test report.

**WARNING: The opinions and interpretations expressed below are based on the results obtained from the item tested, applicable only to the tests where the specification parameters are included in this report.**

\*\*\* End of Report \*\*\*

The assay were conducted in the laboratory in Brazil, located at the address cited at the bottom of this report.